

**SECTION 1 Identification****1.1. GHS Product identifier**

Product form : Mixture  
Trade name : MINE-PRO 3% MOLY GREASE  
Product code : 50550 (EP0), 50551 (EP1), 50552 (EP1.5), 50553 (EP2)

**1.2. Other means of identification**

Other means of identification : HEAVY-DUTY MINING GREASE

**1.3. Recommended use of the chemical and restrictions on use**

Recommended use : Heavy-duty pin & bushing grease  
Restrictions on use : All other uses not recommended above

**1.4. Supplier's details**

MOLEC LUBRICANTS  
68567 HWY 858  
PLAMONDON, AB T0A 2T0  
Canada  
T 780-798-2224  
[sds@moleclubricants.com](mailto:sds@moleclubricants.com)

**1.5. Emergency phone number**

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)  
CCN 997999  
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

**SECTION 2 Hazard identification****2.1. Classification of the substance or mixture****Classification (GHS CA)**

Not classified

**2.2. GHS label elements, including precautionary statements****GHS CA labeling**

No labeling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**SECTION 3 Composition/information on ingredients****3.1. Substances**

Not applicable

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR), as amended by SOR/2022-272

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	-	CAS-No.: 68584-23-6	1 – 5	Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

Comments : The concentration ranges are provided due to batch-to-batch variability.

## SECTION 4 First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical advice/attention if you feel unwell.
First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but, not mouth-to-mouth. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : IF exposed or concerned: Get medical advice/attention.

## SECTION 5 Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Dry chemical, CO <sub>2</sub> , or water spray or regular foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: The product is not flammable.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR), as amended by SOR/2022-272

### 5.3. Special protective actions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Large fires: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Withdraw immediately in case of rising sound from venting devices or discoloration from tank. ALWAYS stay away from tanks engulfed in fire. For a massive fire, use unmanned hose holders or monitor nozzles, or withdraw from the area and allow fire to burn. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all personal contact including breathing in the mist, spray, vapors. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
- Environmental precautions : Avoid release to the environment.

### 6.2. Methods and materials for containment and cleaning up

- For containment : Contain with non-combustible inert absorbent. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
- Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Decontaminate surfaces and equipment with water and detergent. Notify authorities if product enters sewers or public waters. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. Do not breathe mist, spray, vapors. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
- Additional hazards when processed : If spilled, may cause the floor to be slippery.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a cool, dry and well-ventilated area away from incompatible substances. Store containers in location free from fire risk and away from sources of heat and ignition. Protect from sunlight. Keep away from food, drink and animal feedingstuffs. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
- Incompatible materials : Strong oxidizing agents.
- Heat-ignition : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Packaging materials : Always store product in container of same material as original container.

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Handle in accordance with good industrial hygiene and safety procedures. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

##### Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

##### Hand protection:

Wear protective gloves. Wear suitable gloves resistant to chemical penetration

##### Eye protection:

Wear safety glasses which protect from splashes

##### Skin and body protection:

Body protection should be chosen depending on activity and possible exposure

##### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

##### Personal protective equipment symbol(s):



### SECTION 9 Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state : Liquid

Appearance : Semi-solid. Paste.

Color : Gray

Odor : Petroleum-like odor

Odor threshold : No data available

pH : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Relative evaporation rate (ether=1) : No data available

Melting point : No data available

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR), as amended by SOR/2022-272

Freezing point	: No data available
Boiling point	: 370 °C / 698 °F
Flash point	: 226 °C / 438.8 °F
Auto-ignition temperature	: > 315 °C / 599 °F
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 0.1 hPa
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.24068 g/cm <sup>3</sup> @ 20 °C / 68 °F
Solubility	: Not miscible in water or difficult to mix.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

Particle characteristics	No data available
--------------------------	-------------------

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions of use.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No flames, no sparks. Eliminate all sources of ignition. Incompatible materials. Protect from sunlight.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide.
Hardening time:	: No additional information available

## SECTION 11 Toxicological information

### 11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

LD50 oral rat	> 16000 mg/kg body weight
LD50 dermal rabbit	> 4000 mg/kg body weight
LC50 Inhalation - Rat	> 1.9 mg/l air

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

Specific concentration limits, Skin Sens. 1B	10.0 % ≤ C ≤ 100.0 %
Germ cell mutagenicity	: Not classified

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR), as amended by SOR/2022-272

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

NOAEL (oral,rat,90 days)	500 mg/kg body weight
NOAEL (dermal,rat/rabbit,90 days)	> 1000 mg/kg body weight
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

## SECTION 12 Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

EC50 72h - Algae [1]	> 1000 mg/l
EC50 96h - Algae [1]	> 1000 mg/l

### 12.2. Persistence and degradability

#### MINE-PRO 3% MOLY GREASE

Persistence and degradability	Not established.
-------------------------------	------------------

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

## SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
---------------------------	--

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR), as amended by SOR/2022-272

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Dispose of this material and its container at hazardous or special waste collection point. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

### SECTION 14 Transport information

In accordance with TDG / IMDG / IATA

TDG	IMDG	IATA
<b>14.1. UN Number</b>		
Not regulated for transport		
<b>14.2. UN Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group, if applicable</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

**TDG**  
Not regulated

**IMDG**  
Not regulated

**IATA**  
Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78<sup>9</sup> and the IBC Code<sup>10</sup>

Not applicable

### SECTION 15 Regulatory information

**Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)**

Listed on the Canadian DSL (Domestic Substances List)

# MINE-PRO 3% MOLY GREASE

## Safety Data Sheet

according to SOR/2015-17, Hazardous Products Regulations (HPR) , as amended by SOR/2022-272

**Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### SECTION 16 Other Information

Issue date : 06-10-2026

#### Full text of hazard classes and H-statements:

H317	May cause an allergic skin reaction
------	-------------------------------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.